



# Special Release

## NATIONAL STATISTICS OFFICE

### PROVINCE OF AKLAN

Number 003

August 2013

*INQUIRIES: For more information write or call:*

*National Statistics Office*

*N. Roldan St., Poblacion, Kalibo, Aklan*

*Tel Nos. (036)268-9217/262-3804 or*

*Email: nso\_aklan@yahoo.com*

## 2010 Census of Population and Housing bares Aklan's occupied housing units up by 33 percent



The Province of Aklan recorded a total of 115, 086 occupied housing units as of May 1, 2010 based on the results of the 2010 Census of Population and Housing. This showed an increase of 32.9 percent or 28,486 from the 2000 figure of 86, 600. This translates to a ratio of 101 households for every 100 occupied housing units, with 4.6 persons per occupied housing units. In 2000, there were 101 households per 100 occupied housing units and 5.2 persons per occupied housing unit.

### Almost all occupied housing units were single-type

Of the 115, 086 occupied housing units in Aklan, single house was the most common type of building/house accounted for 96.0 percent. The figure declined from the 97.1 percent reported in 2000. On the other hand, duplex type houses increased to 1.7 percent from 0.4 percent in 2000. Multi-unit residential accounted for 0.8 percent, while commercial/industrial/agricultural building accounted for 0.4 percent.

### Occupied housing units with outer walls and roofs made of strong material increased

In 2010, about two fifths (39.4 percent) of occupied housing units in Aklan had outer walls made of concrete/brick/stone. This is higher than the proportion reported in 2000, at 28.4 percent. On the other hand, housing unit with outer walls made of bamboo/sawali/cogon/nipa decreased from 52.4 percent in 2000 to 42.6 percent in 2010.


**Table 1. Average Occupant Per Housing Unit: Aklan, 2010 & 2000**

2010				2000			
Total Occupied Housing Unit	Number of HHs	Number of HH per 100 Occupied Housing Units	Number of Persons per Occupied Housing Unit	Total Occupied Housing Unit	Number of HHs	Number of HH per 100 Occupied Housing Units	Number of Persons per Occupied Housing Unit
115, 086	116, 123	101	4.6	86, 600	87, 883	101	5.2

Meanwhile, the proportion of housing units with roofs made of galvanized iron/aluminum increased to 45.5 percent from 29.3 percent in 2000. Roofs made of cogon/nipa/anahaw dropped to almost one half (49.6 percent) from 64.5 percent in 2000.

**Seven in every ten occupied housing units needed minor repair or no repair at all**

In 2010, the proportion of housing units that needed no repair or needed minor repair was 68.8 percent, an increase from the 2000 figure of 56.8 percent. Meanwhile, 17.3 percent of the occupied housing units needed major repair. There is a decrease of 2.6 percent from the 19.9 percent reported in 2000. The rest of the occupied housing units have state of repair categorized as follows: unfinished construction (8.5), under construction (2.2 percent), under renovation (1.6), and dilapidated/condemned (0.6 percent).




**Three out of ten of the occupied housing units were built from 2006-2010**

Of the total occupied housing units in Aklan, 32.3 percent were built from 2006 to 2010, and 21.5 percent from 2001-2005. On the other hand, about 22.1 percent of the occupied housing units were built in 1991 to 2000, and 12.3 percent from 1981-1990.

**One in every five occupied housing units had a floor area measuring 10-19 sq.m.**


Most of the occupied housing units in Aklan had a floor area of 10-19 sq.m. (or 108-209 sq.ft.) comprising of 21.8 percent. Floor area with this size had average occupants of 4.3 per occupied housing unit. This was followed by a housing unit with floor area between 20-29 sq.m. (or 210-317 sq.ft.) accounted for 21.4 percent with an average occupants of 4.6. Whereas, housing units with a floor area between 30-49 sq.m. (or 318-532 sq.ft.) made up 17.5 percent. On the average, it has 4.7 occupants per occupied housing units.



**Three out of five households lived in owned or amortized lots**

Of the 116, 123 households in 2010, three out of five households (or 68.0 percent) lived in lots they owned or amortized. The proportion increased from the 2000 figure of 60.7 percent.

Moreover, about one fifth (or 23.8 percent) of the households occupied lots which were rent-free but with consent of owner, 6.7 percent rented the lots that they occupied, while 1.0 percent occupied lots which were rent-free but without consent of the owner.



**Table 2. Type of Building/House: Aklan, 2010 and 2000**

Type of Building/ House	Total Occupied Housing Unit	Number of HHs	Household Population	Ratio of Households to Occupied Housing Units	Ratio of HH Pop to Occupied Housing Units
<b>2010</b>					
<b>Total</b>	<b>115, 086</b>	<b>116, 123</b>	<b>533, 573</b>	<b>1.01</b>	<b>4.64</b>
Single House	110, 392	111, 353	514, 548	1.01	4.66
Duplex	2, 009	2, 041	8, 684	1.02	4.32
Multi-unit Residential	946	969	3, 432	1.02	3.63
Commercial/ Industrial/ agricultural	406	407	1, 669	1.00	4.11
Institutional Living Quarter	39	39	108	1.00	2.77
Other Housing Unit	3	3	10	1.00	3.33
Not reported	1, 291	1, 311	5, 122	1.02	3.97
<b>2000</b>					
<b>Total</b>	<b>86, 600</b>	<b>87, 883</b>	<b>450, 353</b>	<b>1.02</b>	<b>5.20</b>
Single House	84, 061	85, 283	436, 445	1.02	5.19
Duplex	376	398	1, 935	1.06	5.15
Multi-unit Residential	300	319	1, 434	1.06	4.78
Commercial/ Industrial/ agricultural	158	164	795	1.04	5.03
Institutional Living Quarter	14	15	81	1.07	5.77
Other Housing Unit	6	6	16	1.00	2.67
Not reported	1, 685	1, 698	9, 647	1.01	5.73

**Table 3. Occupied Housing Units By Construction Materials of the Outer Walls and Roofs: Aklan, 2010**

Construction Materials of the Outer Walls	Total Occupied Housing Unit	Construction Materials of the Roofs							
		Galvanized Iron/ Aluminum	Tile/ Concrete/ Clay Tile	Half Galvanized Iron and Half Concrete	Wood	Cogon/ Nipa/ Anahaw	Makeshift/ Salvaged/ Improvised	Asbestos	Not reported
<b>Total</b>	<b>115, 086</b>	<b>52, 349</b>	<b>616</b>	<b>3, 516</b>	<b>956</b>	<b>57, 098</b>	<b>336</b>	<b>213</b>	<b>2</b>
Concrete/ Brick/Stone	45, 358	38, 640	533	664	91	5, 342	17	71	-
Wood	4, 208	1, 786	18	116	421	1, 855	6	6	-
Half Concrete/ Brick/Stone and half Wood	13, 993	6, 199	57	2, 190	106	5, 385	17	39	-
Galvanize Iron/ Aluminum	429	290	5	59	7	68	-	-	-
Bamboo/ Sawali/ Cogon/Nipa	48, 997	5, 180	-	466	311	42, 873	86	81	-
Asbestos	17	10	-	-	-	-	-	7	-
Glass	4	4	-	-	-	-	-	-	-
Makeshift/ Salvaged /Improvised	489	61	-	5	1	215	205	2	-
Others/Not Reported	1, 577	174	3	15	19	1, 354	4	6	2
No Walls	14	5	-	1	-	6	1	1	-

**Table 4. Construction Materials of the Outer Walls: Aklan, 2010 and 2000**

Materials of the Outer Walls	2010		2000	
	Occupied HU	Percentage	Occupied HU	Percentage
<b>Total</b>	<b>115, 086</b>	<b>100.00</b>	<b>86, 600</b>	<b>100.00</b>
Concrete/Brick/Stone	45, 358	39.41	24, 582	28.39
Wood	4, 208	3.66	2, 796	3.23
Half Concrete/Brick/Stone and Half Wood	13, 993	12.16	10, 761	12.43
Galvanized Iron/Aluminum	429	0.37	327	0.38
Bamboo/Sawali/Cogon/Nipa	48, 997	42.57	45, 419	52.45
Asbestos	17	0.02	37	0.04
Glass	4	0.00	5	0.01
Makeshift/Salvaged/Improvised	489	0.42	285	0.33
Others/Not Reported	1, 577	1.37	2, 34	2.70
No Walls	14	0.01	51	0.06

**Table 5. Construction Materials of the Outer Walls: Aklan, 2010 and 2000**

Materials of the Roof	2010		2000	
	Occupied HU	Percentage	Occupied HU	Percentage
<b>Total</b>	<b>115, 086</b>	<b>100.00</b>	<b>86, 600</b>	<b>100.00</b>
Galvanized Iron/Aluminum	52, 349	45.49	25, 376	29.30
Tile/Concrete/Clay Tile	616	0.54	359	0.42
Half Galvanized Iron and Half Concrete	3, 516	3.06	2, 562	2.96
Wood	956	0.83	382	0.44
Cogon/Nipa/Anahaw	57, 098	49.61	55, 831	64.47
Makeshift/Salvaged/Improvised	336	0.29	150	0.17
Asbestos/Others	213	0.19	171	0.20
Not Reported	2	0.00	1, 769	2.04

**Table 6. Occupied Housing Units by State of Repair: Aklan, 2010 and 2000**

State of Repair	2010		2000	
	Occupied HU	Percentage	Occupied HU	Percentage
<b>Total</b>	<b>115,086</b>	<b>100.00</b>	<b>86,600</b>	<b>100.00</b>
Needs no repair/needs minor repair	79155	68.78	49178	56.79
Needs major repair	19946	17.33	17212	19.88
Dilapidated/condemned	641	0.56	914	1.01
Under renovation/being repaired	1810	1.57	2390	2.76
Under construction	2500	2.17	2799	3.23
Unfinished construction	9772	8.49	10790	12.46
Not Applicable	3	0.00	0	0.00
Not reported	1259	1.09	3317	3.83

**Table 7. Year Building Was Built: Aklan, 2010**

Year Building Was Built	2010	
	Occupied HU	Percentage
<b>Total</b>	<b>115,086</b>	<b>100.00</b>
2010	2,825	2.46
2009	7,595	6.60
2008	10,456	9.08
2007	7,838	6.81
2006	8,500	7.39
2001-2005	24,763	21.52
1991-2000	25,404	22.07
1981-1990	14,202	12.34
1971-1980	6,851	5.95
1970 or earlier	5,195	4.51
Not applicable	16	0.01
Dont know	1,324	1.15
Not Reported	117	0.10

**Table 8. Floor Area of the Housing Unit: Aklan, 2010**

Floor Area	2010		Household Population	Number of persons per occupied HUs	Number of Households	Number of households per 100 occupied HUs
	Occupied HU	Percentage				
Total	115, 086	100.00	533, 573	4.6	116, 123	100.90
Less than 5 sq.m./less than 54 sq.ft.	2, 753	2.39	9, 758	3.5	2, 763	100.36
5-9 sq.m./ 54-107 sq.ft.	11, 932	10.37	46, 570	3.9	12, 006	100.62
10-19 sq.m./ 108-209 sq.ft.	25, 116	21.82	108, 929	4.3	25, 308	100.76
20-29 sq.m./ 210-317 sq.ft.	24, 647	21.42	114, 526	4.6	24, 855	100.84
30-49 sq.m. /318-532 sq.ft.	20, 185	17.54	95, 816	4.7	20, 379	100.96
50-69 sq.m./ 533-748 sq.ft.	14, 531	12.63	74, 842	5.2	14, 667	100.94
70-89 sq.m. /749-963 sq.ft.	6, 397	5.56	34, 272	5.4	6, 492	101.48
90-119 sq.m./ 964-1,286 sq.ft.	3, 729	3.24	19, 674	5.3	3, 787	101.56
120-149 sq.m./ 1,287-1,609 sq.ft.	2, 380	2.07	12, 493	5.2	2, 396	100.67
150-199 sq.m./ 1,610-2,147 sq.ft	1, 439	1.25	7, 322	5.1	1, 467	101.95
200 sq.m. and over/2,148 sq.ft. and over	1, 614	1.40	7, 766	4.8	1, 640	101.61
Not applicable	3	0.00	10	3.3	3	100.00
Not Reported	360	0.31	1, 595	4.4	360	100.00

**Table 9. Tenure Status of the Lot: Aklan, 2010 and 2000**

Tenure Status of the Lot	2010		2000	
	Number of Households	Percentage	Number of Households	Percentage
<b>Total</b>	<b>116, 123</b>	<b>100.00</b>	<b>87, 883</b>	<b>100.00</b>
Owned/being amortized/owner-like	78, 953	67.99	53, 335	60.69
Rented	7, 812	6.73	4, 291	4.88
Rent-free with consent of owner	27, 598	23.77	25, 179	28.65
Rent-free without consent of the owner	1, 142	0.98	471	0.54
Not Reported	2	0.53	2, 652	3.02
Not Applicable	616	0.00	1, 955	2.22



## TECHNICAL NOTES

**Housing unit** – is a structurally separate and independent place of abode which, by the way it has been constructed, converted or arranged is intended for habitation by one or more households.

**Single house** – an independent structure intended for one household, separated by an open space or walls from all other structures.

**Duplex** – a structure intended for two households, with complete living facilities for each.

**Multi-unit residential** – this is intended for residential use only, consisting of 3 or more housing units.

**Commercial/industrial/agricultural** – these buildings are not intended mainly for human habitation but used as living quarters of households at the time of the census.

**Institutional living quarters** – are permanent structures which provide lodging and/or meals on a fee basis.

**Year the building was built** – refers to the year when the construction was completed and when ready for occupancy and not when construction was began.

**Floor area** – refers to the space enclosed by the exterior walls of the housing unit.

\*-----\*

The 2010 Census of Population and Housing (2010 CPH) was undertaken by the National Statistics Office in May-June 2010 pursuant to Batas Pambansang Blg. 72 and Commonwealth Act 591. The 2010 CPH was designed to take an inventory of the population and housing units in the Philippines nationwide and to collect information about their characteristics. Information on the count of the population and living quarters were collected with 12:01 a.m. of May 1, 2010 as the census reference time and date.

About 438 fieldworkers were deployed by NSO in the Province of Aklan, majority of whom were DepEd public school teachers, during the nationwide census taking in 2010.

The population counts proclaimed by the President as official for all purposes were based on census questionnaires accomplished by the enumerators all over the country. Questionnaires were processed in Census Processing Centers using the Optimal Mark Recognition (OMR) technology along with the Census Integrated Processing System developed by NSO.

The successful completion of census-taking was made possible with the support of the local and national officials, government agencies, local government units, media, private agencies, and non-government organizations.